



ANTI-VIBRATION & SPRINGS

FDT

Rotary Dampers

2 - 8.7Nm



Discounts: 10+ -10% 25+ -15% 50+ -30%

Part Number	Damping Torque* Nm	A	B	C	D	E	F	G	H	R	V	Price Each 1 - 9
FDT-47	2.0 \pm 0.3	65	56	8.0	4.5	47	42.8	1.6	10.3	4.5	10	£23.46
FDT-57	4.7 \pm 0.5	79	68	10.0	5.5	57	52.4	1.6	11.2	5.5	13	£26.54
FDT-63	6.7 \pm 0.7	89	76	12.5	6.5	63	58.6	1.6	11.3	6.5	17	£28.77
FDT-70	8.7 \pm 0.8	95	82	12.5	6.5	70	65.4	1.6	11.3	6.5	17	£30.99

Material

Body: Steel

Output Shaft Sleeve: Glass reinforced Nylon

Performance

Temperature Range: -10°C to +50°C

Maximum Rotational Speed: 50 rpm

Maximum Cycle Rate: 12 cycles per minute

Weight: 0.11kg

Other Info.

There is no support for the output shaft within the damper structure. External support must be provided for the shaft.

* (at 20rpm, 23°C). Damping in both directions of rotation.

