




# COUPLINGS

## Free Cross Clampers - For Round & Square Shafts

Clamp Fixing : Aluminium & Stainless Steel

**FCFA-C**  
**FCFS-C**



**Discounts: 6+ -5% 20+ -10% 30+ -15% 50+ -20% 100+ -30%**

Part Number	D1 H8*	D2 H8*	B1 H11*	B2 H11*	A	W	L	P	H	F1	F2	F3	F4	M1	M2	Mass (g)	Price Each 1 - 5
<b>Aluminium</b>																	
FCFA8-8C	8	8	-	-	22	63	28	45.0	11.0	3.7	25.8	15	7	M3	M4	83	£48.47
FCFA8-10C	8	10	-	8	22	63	28	45.0	11.0	3.7	25.8	15	7	M3	M4	81	£48.47
FCFA10-10C	10	10	8	8	22	63	28	45.0	11.0	3.7	25.8	15	7	M3	M4	80	£48.47
FCFA10-12C	10	12	8	10	25	72	32	51.5	12.5	3.8	30.2	17	8	M3	M5	120	£54.83
FCFA12-12C	12	12	10	10	25	72	32	51.5	12.5	3.8	30.2	17	8	M3	M5	118	£54.83
FCFA10-15C	10	15	8	12	30	90	40	64.5	15.5	4.5	38.5	21	10	M4	M5	224	£63.84
FCFA12-15C	12	15	10	12	30	90	40	64.5	15.5	4.5	38.5	21	10	M4	M5	221	£63.84
FCFA15-15C	15	15	12	12	30	90	40	64.5	15.5	4.5	38.5	21	10	M4	M5	216	£63.84
FCFA12-20C	12	20	10	16	38	113	50	80.0	20.0	5.5	48.5	27	13	M5	M5	453	£76.89
FCFA15-20C	15	20	12	16	38	113	50	80.0	20.0	5.5	48.5	27	13	M5	M5	447	£76.89
FCFA20-20C	20	20	16	16	38	113	50	80.0	20.0	5.5	48.5	27	13	M5	M5	433	£76.89
<b>Stainless</b>																	
FCFS8-8C	8	8	-	-	22	63	28	45.0	11.0	3.7	25.8	15	7	M3	M4	218	£66.66
FCFS8-10C	8	10	-	8	22	63	28	45.0	11.0	3.7	25.8	15	7	M3	M4	213	£66.66
FCFS10-10C	10	10	8	8	22	63	28	45.0	11.0	3.7	25.8	15	7	M3	M4	208	£66.66
FCFS10-12C	10	12	8	10	25	72	32	51.5	12.5	3.8	30.2	17	8	M3	M5	311	£75.47
FCFS12-12C	12	12	10	10	25	72	32	51.5	12.5	3.8	30.2	17	8	M3	M5	304	£75.47
FCFS10-15C	10	15	8	12	30	90	40	64.5	15.5	4.5	38.5	21	10	M4	M5	570	£94.24
FCFS12-15C	12	15	10	12	30	90	40	64.5	15.5	4.5	38.5	21	10	M4	M5	562	£94.24
FCFS15-15C	15	15	12	12	30	90	40	64.5	15.5	4.5	38.5	21	10	M4	M5	546	£94.24
FCFS12-20C	12	20	10	16	38	113	50	80.0	20.0	5.5	48.5	27	13	M5	M5	1147	£129.12
FCFS15-20C	15	20	12	16	38	113	50	80.0	20.0	5.5	48.5	27	13	M5	M5	1128	£129.12
FCFS20-20C	20	20	16	16	38	113	50	80.0	20.0	5.5	48.5	27	13	M5	M5	1086	£129.12

\*Dimension tolerance figures are shown before slit machining

### Material

Body (FCFA-C): Aluminium (A6063), barrel polishing  
Body (FCFS-C): Stainless Steel (SUS304), barrel polishing  
Screw: Stainless Steel (SUS304)

### Features


- Suitable for connecting two shafts at optional angle.
- No shaft damage through easy attachment/removal.
- Lightweight (Aluminium type only).
- Corrosion resistant (Stainless Steel only).
- Supplied with hexagon socket head screws

### Options

Shafts can be made to order to suit these shaft holders.

### Ordering Information

e.g.



+44 (0)1246 455500  
+44 (0)1246 455522

**ondrives**

sales@ondrives.com  
www.ondrives.com

Product information updated 1st April 2011 and subject to change. Please contact Sales for the latest prices and availability.