




LINEAR MOTION

AccuGlide™ T-Series™ Linear Ball Guides 'G' Style

**AT-G
RT-GL**



Y&S Will be equal on both ends, unless otherwise specified.



Discounts: 20+ -5% 40+ -10% 60+ -15% 100+ -20% 200+ -35%

Type	A	A1	A2	A3	H	H1	H2	B	E1	E2	S1	S2	S3	S5	S6	N1	N5	N6	X	Max L
Series 20	59	29.5	20	19.5	28	23.0	18	76	49	32	M5	M6	M5	5.8	9.5	8.00	4.25	7.5	60	3000
Series 25	73	36.5	23	25.0	33	26.5	22	88	60	35	M6	M8	M6	7.0	10.7	9.00	5.00	10.0	60	3000
Series 35	100	50.0	34	33.0	48	40.0	29	117	82	50	M8	M10	M8	9.0	14.0	15.26	6.60	11.0	80	3000

Part Number		Load Ratings at 100km (N)		Mass		Price Each 1 - 19	
Rail	Carriage	Dynamic C	Static Co	Carriage kg	Rail kg/m	Rail Per Metre	Carriage
RT20GL1000	AT20G	9000	11000	0.22	0.79	£123.37	£54.88
RT25GL1000	AT25G	13000	15000	0.30	1.06	£P.O.A	£P.O.A
RT35GL1000	AT35G	25000	28000	0.74	2.27	£151.03	£107.84

A higher precision all steel version linear ball guide is also available. Please ask sales for details.

Material

Rail: Aluminium with Steel strips
Carriage: Aluminium/Steel

Performance

Speed: Max. 3m/s acceleration 50m/s²
Max. Operating Temp: 80°C

Ordering Information

When ordering a rail, please specify the number of carriages required (1,2,3, etc.,) per rail.

for example: 1 x **RT20GL1000** and 1 x **AT20G**

Note: a minimum of 1 carriage must be ordered per rail.

Carriages are dimensionally matched to rails during assembly.

Carriages are **not** ball retained.

+44 (0)1246 455500
+44 (0)1246 455522

ondrives

sales@ondrives.com
www.ondrives.com

Product information updated 1st April 2011 and subject to change. Please contact Sales for the latest prices and availability.